

VINYL FENCING & RAILING

ALUMINUM FENCING & RAILING

ACCESSORIES & LED LIGHTING

durables®
Railing and fencing that last.

The Durables® Difference

Stronger. Thicker. Built to Last.

When I started in the vinyl fencing industry over 25 years ago, most fences looked the same. But over time, competitors have cut corners—using less vinyl, making their products thinner and weaker.

At Durables®, we never compromise on quality. We still manufacture the same heavy-duty, USA-made vinyl fencing and railing that we did decades ago. In fact, our vinyl products can be up to 50% heavier and thicker than the competition.

COMPETITORS VS. US

√ More vinyl - Competitor fencing often thinner and weaker

√ Heavier panels stand up to the elements and last longer

√ Thicker vinyl - Unlike thinner vinyl that lets lights and shadows pass through, our panels block silhouettes completely





Strong Products. Stronger Service.

At Durables®, the only thing stronger than our products is the service that comes with them.™

We believe Great Experiences Matter. From your first call to the final installation, we're here to ensure every step is seamless. Our commitment to quality means we only offer products that are built to last—and we stand by that promise with:

INDUSTRY LEADING WARRANTY & LIFETIME IMPLEMENTATION SUPPORT

Why Choose Durables® Vinyl Fencing & Railing?

√ USA-made vinyl fencing and railing

√ Thick, heavy-duty vinyl for maximum durability

√ DIY-Friendly Installation

√ Low maintenance—no painting or staining required

√ High-impact resistant

√ Customizable to fit your needs

At Durables®, we keep our promises. Our promise to you is we'll be here for you—before, during, and after your purchase.

Brad Halley

President, Durables®


WE TAKE PRIDE IN MANUFACTURING ENVIRONMENTALLY-FRIENDLY FENCING AND RAILING

Manufactured from PVC & 100% BPA free, preventing harmful chemicals from entering your body.

Made from 85% recycled material, keeping more than 60 million pounds of plastic out of landfills

Extruded with a closed loop water system, eliminating water waste and exposure to outside contaminants.

WHEN YOU PURCHASE FROM DURABLES®, YOU'RE REDUCING WASTE AND HELPING BUILD A CLEANER, GREENER PLANET.








Black with Black Rails

New Black Vinyl Fencing Options

Maximum Privacy. Modern Sophistication.

Create the perfect backdrop for vibrant gardens or backyard gatherings. Our low-maintenance privacy fences offer styles from traditional to contemporary, suiting any home design.

Built to last, they can be installed to withstand wind gusts up to 130 mph (for heights 6 feet and under).



Cedar with Black Rails



Coastal Gray with Black Rails

Meet WeatherGrain Vinyl Fencing and Railing

Wood's Timeless Look. Vinyl's Lasting Strength.

Why WeatherGrain?

- Hassle-Free: No painting, staining, or sealing—just a quick rinse
- Durable Design: Impact and crack resistant
- Timeless Appeal: Enhances any outdoor space with classic style

Choose Your Style:

- Coastal: Light, breezy wood-inspired tones
- Cedar: Warm, rich hues for a classic feel
- Two-Tone: Achieve a stunning look with with black rails



Cedar - Available Styles
Ashforth, Newport, Townsend, 2-Rail, 3-Rail & 4-Rail Horse Fence, Amherst Railing



Coastal Gray - Available Styles
Ashforth, Townsend, 2-Rail, 3-Rail & 4-Rail Horse Fence, Amherst Railing



Amherst Railing in Coastal Gray

Vinyl available in White, Tan, Khaki, Gray, Coastal*, Cedar*, Black

White | Tan | Khaki | Gray
Cedar | Coastal | Black


* Indicates our WeatherGrain fencing

Aluminum Fencing available in Black

Black

Aluminum Railing available in Textured White or Textured Black

White | Black



DURABLES® VINYL FENCING

PREMIUM, DURABLE, STYLISH

LOW MAINTENANCE | DIY-FRIENDLY | VARIETY OF COLORS



Premium

Our Durables Premium style privacy fences feature a 6" picket with .060" tongue and groove



The Ashforth®

65 lb[1]

Height: 4', 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060"
Color:

*Additional Two-Tone Colors Available



The Canterbury™

65 lb[1]

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060"
Color:



The Townsend™

64 lb[1]

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060" (accents 3/4" round black aluminum)
Color:



The Briston™

70 lb[1]

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060" (accents 1.25" x 1.25")
Color:



The Portsmouth®

65 lb[1]

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060" (accents 7/8" x 1.5")
Color:



The Newport™

77 lb[1]

Height: 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060"
Color:



The Turnbridge®

72 lb[1]

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .060" (accents 7/8" x 1.5")
Color:

Color Options Include:

- White
- Tan
- Khaki
- Gray
- Cedar
- Coastal
- Black

[1]*Average weight noted is for a 6'x8' panel.*



Classic

Our Durables Classic style privacy fences feature a wide-board 11.3" picket with .055" tongue and groove



The Wendell™

Height: 4', 5', 6', 7', 8'
Width: 6' & 8'
59 lb[1]
Picket Style: 7/8" x 11.3"
Tongue & Groove .055"
Color: ☐



The Winchester™

Height: 5', 6', 7', 8'
Width: 6' & 8'
61 lb[1]
Picket Style: 7/8"x 113"
Tongue & Groove .055"
Color: ☐



The Florence™

Height: 6',7',8'
Width: 6' & 8'
59 lb[1]
Picket Style: 7/8" x 11.3"
Tongue & Groove .055"
(accents 3/4" round black aluminum)
Color: ☐



The Edith™

Height: 6', 7', 8'
Width: 6' & 8'
66 lb[1]
Picket Style: 7/8" x 11.3"
Tongue & Groove .055"
(accents 7/8" x 1.5")
Color: ☐



The Edmonton™

Height: 6', 7', 8'
Width: 6' & 8'
60 lb[1]
Picket Style: 7/8" x 11.3"
Tongue & Groove .055"
(accents 7/8" x 1.5")
Color: ☐



The Cyrus™

Height: 6',7',8'
Width: 6' & 8'
66 lb[1]
Picket Style: 7/8" x 11.3"
Tongue & Groove .055"
(accents 1.25" x 1.25")
Color: ☐

Stay protected in high winds—our privacy fences (6 feet and under) can be installed to withstand gusts up to 130 mph.

[1]*Average weight noted is for a 6'x8' panel.*



Safer Pools

Self-closing hinges and safety latch included



The Waldston™

Height: 4′ & 5′(w/ Mid-Rail)
Width: 6′ & 8′
Picket Style: 7/8″ x 3″
(3.7″ picket spacing)
Color:

33 lb[1]



The Gillingham™

Height: 4′ & 5′(w/ Mid-Rail)
Width: 6′ & 8′
Picket Style: 7/8″ x 1.5″
(3.7″ picket spacing)
Color:

28 lb[1]



The Stanton™

Height: 4′ & 5′(w/ Mid-Rail)
Width: 6′ & 8′
Picket Style: 7/8″ x 3″
(1.7″ picket spacing)
Color:

40 lb[1]



The Harwich™

Height: 4′ & 5′(w/ Mid-Rail)
Width: 6′ & 8′
Picket Style: 7/8″ x 1.5″
(1.7″ picket spacing)
Color:

36 lb[1]



The Cargill™

Height: 4′ & 5′(w/ Mid-Rail)
Width: 6′ & 8′
Picket Style: 7/8″ x 3″ &
7/8″ x 1.5″ alternating
(3.7″ picket spacing)
Color:

31 lb[1]



The Austell™

Height: 4′ & 5′(w/ Mid-Rail)
Width: 6′ & 8′
Picket Style: 7/8″ x 3″ &
7/8″ x 1.5″ alternating
(1.7″ picket spacing)
Color:

39 lb[1]



The Reading™

Height: 4′ & 5′(w/ Mid-Rail)
Width: 6′ & 8′
Picket Style: 7/8″ x 3″
(0.6″ picket spacing)
Color:


48 lb[1]

Color Options Include:

- White
- Tan
- Khaki

[1]*Average weight noted is for a 6′x8′ panel.*

Semi-Privacy Fencing



Privacy with Style

Multi-dimensional design balances seclusion with openness



The Milton®

Height: 5′ & 6′
Width: 6′ & 8′
Picket Style: 7/8″ x 3″ (7/8″ picket spacing)
Color:

63 lb[1]



The Harlow®

Height: 5′ & 6′
Width: 6′ & 8′
Picket Style: 7/8″ x 3″ & 7/8″ x 1.5″ alternating (7/8″ picket spacing)
Color:

60 lb[1]



The Grenada™

Height: 5′ & 6′
Width: 6′ & 8′
Picket Style: 7/8″ x 6″ (7/8″ picket spacing)
Color:

66 lb[1]



The Weldon™

Height: 5′ & 6′
Width: 6′ & 8′
Picket Style: 7/8″ x 3″ & 7/8″ x 6″ alternating (7/8″ picket spacing)
Color:

65 lb[1]



The Fairfax™

Height: 6′
Width: 8′
Picket Style: 7/8″ x 3″ horizontal (0.9″ picket spacing)
Color:

66 lb[1]



The Marlow™

Height: 5′ & 6′
Width: 6′ & 8′
Picket Style: 7/8″ x 6″ (7/8″ picket spacing)
Color:

66 lb[1]

[1]*Average weight noted is for a 6′x8′ panel.*



Elevate Your Curb Appeal

Classic picket designs add beauty and warmth to any yard



The Burton™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (3" picket spacing)
Bottom Rail: 1.5" x 5.5"
Color:

35 lb[1]



The Grantham™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (3" picket spacing)
Bottom Rail: 1.5" x 5.5"
Color:

35 lb[1]



The Murton™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (3" picket spacing)
Bottom Rail: 2" x 3.5"
Color:

36 lb[1]



The Darlington™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (3" picket spacing)
Bottom Rail: 2" x 3.5"
Color:

36 lb[1]



The Sudbury™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (1.7" picket spacing)
Bottom Rail: 2" x 3.5"
Color:

41 lb[1]



The Rochdale™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dogear or Spade (1.7" picket spacing)
Bottom Rail: 2" x 3.5"
Color:

41 lb[1]



The Milano®

Height: 3' & 4'
Width: 6' & 8'
Picket Style: 1.5" x 1.5"
Picket Caps: Spade (2" picket spacing)
Bottom Rail: 2" x 6"
Color:

45 lb[1]

Color Options Include:
- White
- Tan
- Khaki

[1]*Average weight noted is for a 4'x8' panel.*

Picket Fencing





The Preston™

Height: 3′, 4′ & 5′
Width: 6′ & 8′
29 lb[1]
Picket Style: 7/8″ x 1.5″
Picket Caps: Spade
(3.7″ picket spacing)
Bottom Rail: 2″ x 3.5″
Color:



The Stanley™

Height: 3′, 4′ & 5′
Width: 6′ & 8′
29 lb[1]
Picket Style: 7/8″ x 1.5″
Picket Caps: Spade
(3.7″ picket spacing)
Bottom Rail: 2″ x 3.5″
Color:



The Durham™

Height: 3′, 4′ & 5′
Width: 6′ & 8′
37 lb[1]
Picket Style: 7/8″ x 1.5″
Picket Caps: Spade
(1.7″ picket spacing)
Bottom Rail: 2″ x 3.5″
Color:



The Ashborne™

Height: 3′, 4′ & 5′
Width: 6′ & 8′
37 lb[1]
Picket Style: 7/8″ x 1.5″
Picket Caps: Spade
(1.7″ picket spacing)
Bottom Rail: 2″ x 3.5″
Color:



The Classic™

Height: 3′ & 4′
Width: 6′ & 8′
42 lb[1]
Picket Style: 1.5″ x 1.5″
Picket Caps: Spade
(2″ picket spacing)
Bottom Rail: 2″ x 6″
Color:

Color Options Include:
- White
- Tan
- Khaki

[1]*Average weight noted is for a 6′x8′ panel.*



Elegant & Long-Lasting

Beautiful vinyl horse fencing built to endure



2 Rail

Post: 5″ x 5″ square post
Post Length: 5′ & 6′
Rail Spacing: 11″
Rail Size: 1.5″ x 5.5″
Color:



3 Rail

Post: 5″ x 5″ square post
Post Length: 6.5′, 7′ & 7.5′
Rail Spacing: 11″
Rail Size: 1.5″ x 5.5″
Color:



4 Rail

Post: 5″ x 5″ square post
Post Length: 7′, 7.5′ & 8′
Rail Spacing: 9″
Rail Size: 1.5″ x 5.5″
Color:



Cross Buck

Post: 5″ x 5″ square post
Post Length: 7′, 7.5′ & 8′
Rail Size: 1.5″ x 5.5″
Color:



2-Rail Diamond Rail™

Post: 5″ x 5″ square post
Post Length: 5′ & 6′
Rail Size: 3″x 3″
Rail Spacing: 11″
Color:

Matching gate unavailable



3-Rail Diamond Rail™

Post: 5″ x 5″ square post
Post Length: 5′ & 6′
Rail Size: 3″x 3″
Rail Spacing: 11″
Color:

Matching gate unavailable



Single Gate

Sizes: Up to 8′ wide
Hardware: Commercial grade stainless steel powder-coated black
Color:



Double Gate

Sizes: Up to 16′ wide, 2 gates, latch in the center
Hardware: Commercial grade stainless steel powder-coated black; includes 2 drop rods
Color:

Gates are available in kit form to match Durables® Horse Fencing.

Bottom Rail Reinforcement

Providing superior strength and durability.

All of our fence styles come with an metal insert in the bottom rail to ensure maximum strength and lasting durability.





Metal
"I" Channel



Metal "H"
Channel

Bottom Rail Reinforcements

Fence Gates

Blending optimal function and long-term performance.

You'll find matching gates for all of our fences that are designed with function and long-term performance in mind. We use the best gate hardware in the industry. Manufactured with rust-free, high-tech engineered polymer and stainless steel components, our gate locks, latches and hinges have a 1 million cycle warranty.






Our gate post inserts add extra strength and stability to your gate to ensure years of uninterrupted gate operation.

Vinyl Fence Posts



Strong, durable and maintenance-free.

Made from the highest grade materials, our fence posts are the strongest, most durable, fence posts you'll find anywhere.



Blank Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96", 105", 120" & 140"
Color: All Colors Available



End Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96", 105", 120" & 140"
Color: All Colors Available



Line Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96", 105", 120" & 140"
Color: All Colors Available



Corner Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96", 105", 120" & 140"
Color: All Colors Available



3-Way Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96", 105", 120" & 140"
Color: All Colors Available



Gate End Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96", 105", 120" & 140"
Color: All Colors Available
(Metal insert included)



Gate Blank Post

Post Width: 4" x 4" & 5" x 5"
Post Height: 72", 84", 96", 105", 120" & 140"
Color: All Colors Available
(Metal insert included)



Fast 2K

Size: 32.8 oz
FAST 2K is a more convenient alternative to concrete for setting fence posts.

Available in all colors

Note: Posts are custom routed to match each specific style of fence.
For example, posts for the Newport fence will have 3 route holes.

*140" post is only available in 5"x 5" post size

U-mounts

Custom installation made easy.

Available in: White, Tan, Khaki or Gray (unless noted) Replace the "X" in the product code with the selected color option:

White= W Tan= T
Khaki= K Gray= G



1.5" x 5.5" U-mount
AXBR-UMOUNT-1.5X5.5



2" x 3.5" U-mount
AXBR-UMOUNT-2X3.5



2" x 6" U-mount
AXBR-UMOUNT-2X6



1.5" x 5.5" External U-mount
AXBR-UMOUNTEXT-1.5X5.5

Fasteners sold separately.

Post Hole Covers

Achieve a clean finish.

1.5" x 5.5" Post Hole Cover
AXCP-CVR-1.5X5.5



2" x 3.5" Post Hole Cover
AXCP-CVR-1.75X3.5



Hinged Screw Cap
AXCP-SCREWCAP
(fits a #10 pan head screw)



Self Tapping Screw
AMFA-SCREWTAP-1.0ss

Mounts

Simplify post installation.



5" x 5" x 54" Concrete Mount
AXPT-CMOUNT-5X54
(includes mounting hardware and post skirt)



4" x 4" x 36" Concrete Mount
AXPT-CMOUNT-4X36
(includes mounting hardware and post skirt- can extend to 42")



DURABLES® RAILING SYSTEMS: THE BEST CHOICE FOR STRENGTH AND DURABILITY

AVAILABLE IN A RANGE OF ATTRACTIVE COLORS

EASY TO MAINTAIN

FULLY CUSTOMIZABLE

IMPACT- AND WEATHER-RESISTANT

CODE COMPLIANT





The Amherst™ Railing

Color:
Rail: 2" x 3.5" top & bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: .75 Black Round Aluminum Spindle
Length: 4', 6' & 8' straight, 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included | Bottom Rail Insert–included | Stair Rail–N/A
IRC1 & IBC1
Brackets Included

The Franklin™ Railing

Color:
Rail: T-Rail black top rail & 2" x 3.5" white bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: .75" Black Round Aluminum
Length: 6', 8' & 10' straight, 6' & 8' stair
Metal Inserts:
Top Rail Insert – included | Bottom Rail Insert – included
Stair Rail–Top Rail Insert – included | Bottom Rail Insert – included
IRC1 & IBC1
Brackets Included

**The brackets included with the premium stair railing are designed for angles of 30˚ to 40˚.*



Gates are available for all vinyl railing styles with commercial grade polyvinyl hardware.



Key-lockable latch



Self-closing hinges

Premium

Enhance your outdoor space with Durables® Premium Railings, engineered for strength, durability, and code compliance.





The Manchester™ Railing

Color: ☐ ☐ ☐
Rail: 2" x 3.5" top & bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: 1.5" Square Spindle
Length: 4', 6' & 8' straight; 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included
Bottom Rail Insert–optional
Stair Rail–top & bottom rail inserts are included
IRC1 & IBC1 | Brackets Included

The Harrington™ Railing

Color: ☐ ☐ ☐
Rail: T-Rail top rail & 2" x 3.5" bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: 1.5" Square Spindle
Length: 4', 6', 8' & 10' straight; 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included
Bottom Rail Insert–optional
Stair Rail–top & bottom rail inserts are included
IRC1 & IBC1 | Brackets Included





The Westport™ Railing

Color: ☐
Rail: 2" x 3.5" top & bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: 1.5" Colonial Spindle
Length: 4', 6' & 8' straight; 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included
Bottom Rail Insert–optional
Stair Rail–top & bottom rail inserts are included
IRC1 & IBC1 | Brackets Included

The Ashington™ Railing

Color: ☐
Rail: T-Rail top rail & 2" x 3.5" bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: 1.5" Colonial Spindle
Length: 4', 6', 8' & 10' straight; 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included
Bottom Rail Insert–optional
Stair Rail–top & bottom rail inserts are included
IRC1 & IBC1 | Brackets Included

**The brackets included with the premium stair railing are designed for angles of 30˚ to 40˚.*



Premium

Enhance your outdoor space with Durables® Premium Railings, engineered for strength, durability, and code compliance.





The Bradford™ Railing

Color: ☐ ☐ ☐
Rail: T-Rail top rail & 2" x 3.5" bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: .75" Black Square Aluminum Spindle
Length: 4', 6', 8' & 10' straight; 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included | Bottom Rail Insert–included
Stair Rail–top & bottom rail inserts are included
IRC[1] & IBC[1] | Brackets Included

The Kirklees™ Railing

Color: ☐ ☐ ☐
Rail: T-Rail top rail & 2" x 3.5" bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: .75" Black Round Aluminum Spindle
Length: 4', 6', 8' & 10' straight; 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included | Bottom Rail Insert–included
Stair Rail–top & bottom rail inserts are included
IRC[1] & IBC[1] | Brackets Included



The Dorset™ Railing

Color: ☐ ☐ ☐
Rail: T-Rail top rail & 2" x 3.5" bottom and mid rail
Railing Height: 42" (bottom rail 2" from the ground)
Spindle Style: 1.5" Square Spindle
Length: 4', 6', 8' & 10' straight
Aluminum Inserts:
Top Rail Insert–included | Bottom Rail Insert–optional
Stair Rail–N/A
IRC[1] & IBC[1] | Brackets Included

Color Options Include:
- ☐ White
- ☐ Tan
- ☐ Khaki

**The brackets included with the premium stair railing are designed for angles of 30˚ to 40˚.*



Classic

Durables® Classic railings offer an affordable, easy-to-install, and long-lasting upgrade for your outdoor space.





The Waltham™

Color:
Rail: 2" x 3.5" top & bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: .875" x 1.5" Rectangular Spindle
Length: 4', 6' & 8' straight; 6' & 8' stair
Metal Inserts:
Top Rail Insert–included | Bottom Rail Insert–optional
Stair Rail–Top Rail Insert–included | Bottom Rail Insert–optional
IRC[1] | Brackets Included

The Brighton™

Color:
Rail: T-Rail top rail & 2" x 3.5" bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: .875" x 1.5" Rectangular Spindle
Length: 4', 6' & 8' straight; 6' & 8' stair
Metal Inserts:
Top Rail Insert–included | Bottom Rail Insert–optional
Stair Rail–Top Rail Insert–included | Bottom Rail Insert–optional
IRC[1] | Brackets Included





The Hudson

Color:
Rail: T-Rail top rail & 2" x 3.5' bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: .75" Black Round Aluminum
Rail Length: 4', 6' & 8'
Stair Rail Length: 6' & 8'
Metal Inserts:
The following are included: Top Rail Insert | Bottom Rail Insert
Stair Rail–Top Rail Insert | Bottom Rail Insert
IRC[1] | Brackets Included

Aluminum Insert (2" x 3.5" & T-Rail)

The aluminum inserts needed to meet testing requirements are included with each railing kit. Additional aluminum inserts are available for custom installations.
Size: 2" x 3.5" x 48"
Size: 2" x 3.5" X 72"
Size: 2" x 3.5" X 96"
Size: 2" x 3.5" X 120"

[1]Railing height noted is the installed height.

**The brackets included with the classic stair railing are designed for angles of 28° to 42°.*



Deck Board

Our premium grade vinyl railing with a decorative top rail accent.



The Bexley™ Deck Board Railing

Color:
Rail: 2" x 3.5" top & bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: 1.5" Square Spindle
Length: 4', 6' & 8' straight; 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included | Bottom Rail Insert–optional
Stair Rail–top & bottom rail inserts are included
IRC1 & IBC1 | Brackets Included



The Hastings™ Deck Board Railing

Color:
Rail: 2" x 3.5" top & bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: 1.5" Colonial Spindle
Length: 4', 6' & 8' straight; 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included | Bottom Rail Insert–optional
Stair Rail–top & bottom rail inserts are included
IRC1 & IBC1 | Brackets Included



The Halton™ Deck Board Railing

Color:
Rail: 2" x 3.5" top & bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: .75" Square Aluminum Spindle
Length: 4', 6' & 8' straight; 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included | Bottom Rail Insert–included
Stair Rail–top & bottom rail inserts are included
IRC1 & IBC1 | Brackets Included



The Warrington™ Deck Board Railing

Color:
Rail: 2" x 3.5" top & bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: .75" Round Aluminum Spindle
Length: 4', 6' & 8' straight; 6' & 8' stair
Aluminum Inserts:
Top Rail Insert–included | Bottom Rail Insert–included
Stair Rail–top & bottom rail inserts are included
IRC1 & IBC1 | Brackets Included

**Deck board not included-match to your specific deck*

Wraps

For use around new or existing wood posts.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

- White= W
- Tan= T
- Khaki= K



Smooth Vinyl Post Wrap

Size: 4" x 4" x 96"– AXPT-WRAP-4X96
Size: 4" x 4" x 120"– AXPT-WRAP-4X120
Size: 6" x 6" x 96"– AXPT-WRAP-6X96
Size: 6" x 6" x 120"– AXPT-WRAP-6X120
*Installed size is 0.25" larger than post wrap size
*For use with Adjustable Post Skirt only



Fluted Vinyl Post Wrap (White only)

Size: 4" x 4" x 102"– AWPT-WRAPFLUTELBP-4X102
Size: 4" x 4" x 120"– AWPT-WRAPFLUTELBP-4X120
Size: 6" x 6" x 102"– AWPT-WRAPFLUTELBP-6X102
Size: 6" x 6" x 120"– AWPT-WRAPFLUTELBP-6X120
Size: 8" x 8" x 102"– AWPT-WRAPFLUTELBP-8X102
Size: 8" x 8" base molding– AWPT-WRAPFLTRIM4PC-8

*Installed size is 0.25" larger than post wrap size
*For use with Adjustable Post Skirt only

Wrap Skirts

Decorative trim at the base of each post provides a finished look.



4-Piece Adjustable Post Skirt

Size: ADJUSTABLE–AXPT-WRAPTRIM4PC-ADJ
*Fits a 3", 3.5", 4", 5", 6" & 6.5" post

Vinyl Sleeves

Attractive covers that fit over our post mounts.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

White= W Tan= T
Khaki= K



Vinyl Blank Post Sleeve Kit

(Includes external post cap and post skirt)

Size: 4" x 4" x 39"–WXR-POSTKIT-4X39
Size: 4" x 4" x 45"–WXR-POSTKIT-4X45
Size: 4" x 4" x 54"–WXR-POSTKIT-4X54


Vinyl Blank

Size: 4" x 4" x 39"–LXPT-BLANK-4X39
Size: 4" x 4" x 45"–LXPT-BLANK-4X45
Size: 4" x 4" x 72"–LXPT-BLANK-4X72
Size: 4" x 4" x 84"–LXPT-BLANK-4X84

*More sizes available, and will fit over 4"x4" treated wood

Mounts

Simplify your post installation.



Railing Post Mount with Wood Fasteners

AMPT-HDMOUNTWD-4X36
AMPT-HDMOUNTWD-4X42



Railing Post Mount with Concrete Fasteners

AMPT-HDMOUNTCC-4X36
AMPT-HDMOUNTCC-4X42



General Mount

NOT FORCOMMERCIALAPPLICATION
(mounting hardware sold separately)
AMPT-GENMOUNT-4

Sleeve Skirts

Decorative trim at the base of each post provides a finished look.



Post Skirt

Size: 4" x 4"–AXPT-SKIRT-4
Size: 5" x 5"–AXPT-SKIRT-5
Size: 6" x 6"–AXPT-SKIRT-6

*More sizes available



2-Piece Federation Post Skirt

Size: 4" x 4"–AXPT-SKIRT2PC-4
Size: 5" x 5"–AXPT-SKIRT2PC-5
Size: 6" x 6"–AXPT-SKIRT2PC-6


*More sizes available

Vinyl Columns

Supported by extruded aluminum for lightweight durability and superior strength.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

White= W Tan= T
Khaki= K




Square Column

(White only)

Size: 8" x 8" x 96"
LWPT-SQCOLKIT-8X96

Size: 8" x 8" x 120"
LWPT-SQCOLKIT-8X120

(tested load of 11,000 lb.)



Round Straight Column

(White only)

Size: 8" x 8" x 108"
LWPT-RNDSTCOLKIT-108

(tested load of 18,000 lb.)




Colonial Structural

Size: 4" x 4" x 108"
LXPT-PPCOL-4X108

Size: 5" x 5" x 108"
LXPT-PPCOL-5X108

(tested load of 11,000 lb.)



Square Structural

Size: 4" x 4" x 108"
LXPT-PPSQ-4X108


Size: 5" x 5" x 108"
LXPT-PPSQ-5X108

Size: 6" x 6" x 108"
LXPT-PPSQ-6X108

(tested load of 11,000 lb.)

(Top & bottom skirts/trim kits are not included, but can be purchased separately)

Trim Kits



Square Column

AWPT-BASE&COLLAR-8X8



Round Straight Column

AWPT-BASE&COLLAR-RNDST

Use skirts on page 23 or 24 with the Colonial Structural and Square Structural columns.

Average weight noted is for a 6'x8' panel.

Secondary Railing

All the parts you need for ADA-compliant installations.

Available in: Textured White, or Textured Black Replace the "X" in the product code with the selected color option:

☐ White= W ■ Black= B



104" Rail
(1-1/2" OD x 104" length)
AXRA-ADARAIL-1.5X104



Post Return
(16.5" x 6")
AXRA-ADAPTRTN-16.5X6



180˚ Elbow
(End Loop 18" x 12" x 18" Extruded End Loop for 1-1/2" OD Rail)
AXRA-ADALOOP-180X12



90˚ Elbow
AXRA-ADAELBOW-90



32˚ Elbow
AXRA-ADAELBOW-32



5˚ Elbow
AXRA-ADAELBOW-5



Inside Corner Mount
includes fasteners
AXRA-ADACORNERINS-1.5



Wall Mount
includes fasteners
AXRA-ADARAILBRK-1.5



90° Wall Return
includes fasteners
AXRA-ADAWALLJOIN-1.5



1.5" Rail End Cap
AXRA-ADARAILEND-1.5



1.5" Collar
AXRA-ADARAILCOL-1.5



8" Internal Connector
AMRA-ADASTCON-8

Secondary (ADA) Aluminum Railing



Wall Return Aluminum Railing
Rail: 1.5" diameter | Length: 4', 6' or 8'
Attachment: (2) 90-degree wall returns, 8' includes additional middle mount
Hardware: Wall mounts with wood fasteners
Color: ☐ ■



Wall Return Aluminum Railing
Rail: 1.5" diameter | Length: 4', 6' or 8'
Attachment: (2) 90-degree wall returns, 8' includes additional middle mount
Hardware: Wall mounts with wood fasteners
Color: ☐ ■

Premium Brackets

Dependable accessories for our premium line of railing.


Available in: White, Tan, Khaki or Black (unless noted) Replace the "X" in the product code with the selected color option:

White= W Tan= T
Khaki= K Black= B




2" x 3.5" 2–Piece Straight Kit

AXBR-2PCSTRGHTKIT-2X3.5




2" x 3.5" 2–Piece Stair Kit

AXBR-STAIRKIT-2X3.5



T-Rail & 2" x 3.5" 2–Piece Straight Kit

AXBR-STRGHTKIT-TRAIL



T-Rail & 2" x 3.5" 2–Piece Stair Kit

AXBR-2PCSTAIRKIT-TRAIL

*Premium stair rail brackets are designed for angles of 30° to 40°.



Deck Board Clips

AMBR-DECKCLIP-KIT



Deck Board Stair Bracket Set

AXBR-STAIRSETDB-2X3.5

Compatability Notice:

Premium brackets on this page work only with Premium railings. Classic brackets on this page work only with Classic railings.

Classic Brackets

Secure, sturdy brackets for Waltham, Brighton, and Hudson railing.



2" x 3.5" 1–Piece Straight Kit

AXBR-CVSTRGHTKIT-2X3.5



2" x 3.5" 1–Piece Stair Kit

AXBR-CVSTAIRKIT-2X3.5



T-Rail & 2" x 3.5" 1–Piece Straight Kit

AXBR-CVSTRGHTKIT-TRAIL



T-Rail & 2" x 3.5" 1–Piece Stair Kit

AXBR-CVSTAIRKIT-TRAIL

*Classic stair rail brackets are designed for angles of 28° to 42°.

Universal Brackets

Accessories for use with Classic or Premium railings.

Available in: White, Tan or Khaki (unless noted) Replace the "X" in the product code with the selected color option:

White= W Tan= T Khaki= K



2" x 3.5" Adjustable Straight Kit

AXBR-WIZANGLE-2X3.5



T-Rail & 2" x 3.5" Adjustable Straight Kit

AXBR-WIZANGLE-TRAIL



2" x 3.5" Adjustable Stair Kit


AXBR-WIZSTAIR-2X3.5



T-Rail & 2" x 3.5" Adjustable Stair Kit

AXBR-WIZSTAIR-TRAIL

*Brackets above are designed for angles of 15° to 45°.



T-Rail Field Cut Bracket

AXBR-FIELD-TRAIL



2" x 3.5" Field Cut Bracket

AXBR-FIELD-2X3.5



45˚ Classic Bracket T-Rail Adapter

AXBR-CV45ADAPTER-TRAIL



45˚ Classic Bracket 2" x 3.5" Adapter

AXBR-CV45ADAPTER-2X3.5

*Brackets above accommodate a vertical or horizontal custom angle.



8" Column Classic Bracket Adapter

AXBR-CVCOLADAPTER-8



8" Column Classic Stair Bracket Adapter

AXBR-CVCOLSTAIRADP-8

Foot Blocks

For added strength when splitting a rail section.




Premium Foot Block

AXRA-FOOTBLOCK-1.5



Classic Foot Block

AXRA-CVFOOTBLOCK-1.5X1.5X8



DURABLES® ALUMINUM FENCING & RAILING:

LOW MAINTENANCE

PREMIUM QUALITY & DURABILITY

IMPACT-AND WEATHER-RESISTANT



Hidden Fastener Aluminum Fencing for a Flawless Finish

Enhance your space with our aluminum fencing, featuring a seamless, hidden fastener design for a clean, sophisticated look. Durable and secure, our premium AAMA 2604 powder coating ensures a rust-resistant, long-lasting finish, while the innovative hidden fastener system enhances both beauty and strength.



The Parma Fencing

Height: 4′ & 5′
Width: 6′
Gate Width: Single 4′, 5′ Double 8′ & 10′
Picket Style: Flat top
Color:



The Canton Fencing

Height: 4′ & 5′
Width: 6′
Gate Width: Single 4′, 5′ Double 8′ & 10′
Picket Style: Alternating spear flat top
Color:



The Beagle Fence (puppy picket)

Height: 4′
Width: 6′
Gate Width: Single: 4′ Double: 8′
Picket Style: Flat top
Color:



The Hamilton Fencing

Height: 4.5′
Width: 6′
Gate Width: Single 4′, 5′ Double 8′ & 10′
Picket Style: Flat top & flush bottom
Color:



The Canfield Fencing

Height: 4′
Width: 6′
Gate Width: Single 4′, 5′ Double 8′ & 10′
Picket Style: Flat top & flush bottom
Color:

*All of our aluminum fencing have corresponding single and double drive gates with premium gate hardware.

Aluminum Fencing Accessories

Expand your options with our matching fittings.

Black in stock. Additional colors available by special order.



Residential Straight Rail End Bracket
1" side wall
(Includes 3 #8-1" screws)



Commercial Straight Rail End Bracket for Atlantic
1.5" side wall
(Includes 3 #8-1" screws)



Swivel Rail Bracket
(Includes 3 #8-1" screws)





Floor Flange
(fasteners not included)




Touch Up Paint



Screws
#10-1" screws



End Post



Line Post



Corner Post



Gate End Post



Gate Blank Post

Our aluminum posts are custom routed to fit your specific job requirements.


Aluminum Railing



Strong, stylish and built to last.

Upgrade your outdoor space with our premium aluminum railing—sleek, durable and resistant to rust and corrosion in any weather. Code-compliant and crafted for strength, it delivers both safety and style.






The Sterling

Color: Textured Black, Textured White
Rail: 1.65" x 1.720" Bread-loaf molded top rail & 1.25" x 1.375" bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: .60" Square Spindles
Length: 6' & 8' straight; 6' & 8' stair
IRC[2] & IBC[2]
Brackets Included | Corresponding gate available
(Stair brackets are designed for angles of 32° to 36°)






The Dalton

Color: Textured Black
Rail: 2.25" x 2.10" Bread-loaf molded top rail & 1.5" x 1.25" bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Gate Width: 60"
Spindle Style: .75" Square Spindles
Length: 6', 8' & 10' straight; 6' & 8' stair
IRC[3] & IBC[3]
Brackets Included | Corresponding gate available






The Columbia

Color: Textured Black
Rail: 2.25" x 2.10" Bread-loaf molded top rail & 1.5" x 1.25" bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: Silver aluminum rod
Length: 6' & 8' straight; 6' & 8' stair
IRC4 & IBC4
Brackets Included






The Princeton

Color: Textured Black
Rail: 2.25" x 2.10" Bread-loaf molded top rail & 1.5" x 1.25" bottom rail
Railing Height: 36" & 42" (bottom rail 2" from the ground)
Spindle Style: Black aluminum rod
Length: 6' & 8' straight; 6' & 8' stair
IRC4 & IBC4
Brackets Included





The Niles

Color: Textured Black
Rail: 2.25" x 2.10" Bread-loaf molded top rail & 1.5" x 1.25" bottom rail
Railing Height: 36" (bottom rail 2" from the ground)
Spindle Style: Mesh
Length: 6' & 8' straight; 6' stair
IRC4 & IBC4
Brackets Included

*Railing height noted is the installed height.

Aluminum Railing Accessories



Sterling Aluminum Railing Post Kit

Includes post cap, 1–piece post skirt and base flange Fasteners not included.

Size: 2.5″ x 2.5″ x 39″
2.5″ x 2.5″ x 45″
2.5″ x 2.5″ x 54″



Sterling Aluminum Railing Straight Brackets

Includes fasteners and foot block



Sterling Aluminum Railing Stair Brackets

Includes fasteners

Designed for angles of 32° to 36°



Sterling Aluminum Railing Adjustable Brackets

Adjust vertically & horizontally and includes fasteners



Sterling Drink Rail

Pre-drilled to add preferred deck board. Install between posts or over crossover posts and brackets for a seamless profile.



Sterling Over The Post/Crossover Post

Streamlined installation to create a seamless top rail, ensuring an uninterrupted view.



Sterling Juliette/Wall Return Bracket

Enables connection of the Stanford railing directly to a building.



Dalton Aluminum Railing Post Kit

Includes post cap, 2–piece post skirt and base flange Fasteners not included.

Size: 3″ x 3″ x 39″
3″ x 3″ x 45″
3″ x 3″ x 54″



Dalton Aluminum Railing Straight Brackets

Includes fasteners and foot block



Dalton Aluminum Railing Universal Brackets

Includes fasteners

Enhance your look with architectural details and lighting.



Cape May Low Voltage LED

Size: 4" & 5"
Color:

Cape May Downward Solar LED

Size: 4", 5" & 6"
Color:

Classic Solar LED

Size: 3.5", 4" & 5"
Color:



Neptune Solar LED

Size: 4", 5" & 6"
Color:

Neptune Downward Solar LED

Size: 4", 5" & 6"
Color:


Galaxy Solar LED

Size: 3.5", 4" & 5"
Color:



Cambridge Solar LED

Size: 4", 5" & 6"
Color:



Ornamental Lens Solar LED

Size: 2.5" & 3"
Color: Textured Black & Textured White

Ornamental Downward Solar LED

Size: 2.5" & 3"
Color: Textured Black & Textured White

LED Low Voltage Post Caps

Enhance your look with architectural details and lighting.

All low-voltage LED post caps work with power supplies and wiring harnesses on page 38



Cape May Low Voltage LED

Size: 4" & 5"
Color:



Cape May Downward Low Voltage LED

Size: 4" & 5"
Color:



Haven Low Voltage LED

Size: 4" & 5"
Color:



Cape May Low Voltage LED Starter Pack



Cape May Downward Low Voltage LED Starter Pack



Haven Low Voltage LED Starter Pack

Starter packs include 6 caps, wiring & a low voltage adapter.



Cape May Low Voltage LED Expansion Pack



Cape May Downward Low Voltage LED Expansion Pack



Haven Low Voltage LED Expansion Pack

Expansion packs include 1 cap & wiring.



Ornamental Combination Low Voltage LED

Size: 2.5" & 3"
Color:



Ornamental Downward Low Voltage LED

Size: 2.5" & 3"
Color:



Ornamental Lens Voltage LED

Size: 2.5" & 3"
Color:

LED Low Voltage Post Caps



Haven Downward Low Voltage LED

Size: 4", 5" & 6"
Color:



Neptune Low Voltage LED

Size: 4", 5" & 6"
Color:




Neptune Downward Low Voltage LED

Size: 3.5", 4" & 5"
Color:



Haven Downward Low Voltage LED Starter Pack



Neptune Low Voltage LED Starter Pack



Neptune Downward Low Voltage LED Starter Pack

Starter packs include 6 caps, wiring & a low voltage adapter.



Haven Downward Low Voltage LED Expansion Pack



Neptune Low Voltage LED Expansion Pack



Neptune Downward Low Voltage LED Expansion Pack

Expansion packs include 1 cap & wiring.

Add ambiance to your outdoor space with easy to install lighting.



LED Under Rail Light Strip

Size: 68" & 92"

Color:



3" LED Under Rail Light

Size: 3" with 10" lead wire

Color:



LED Dome Side Light

Size: 2.75" x 1.344"
9" lead wire

Color:



LED Flush Deck Light–Frosted Acrylic

Size: .955" (diameter) x .685" (depth) 9" lead wire



LED Stair/Side Light with Covers

Size: 1.130" x 3.223"

Color:



Ornamental Low Voltage Side Light

Size: 1.5"

Color:

Power Supply and Wiring Harnesses

Works with the low voltage LED lights above and with the low voltage LED post caps on page 36 & 37



50 Watt Power Supply with Photo Eye, Timer and Bluetooth



12 Watt Power Supply with Photo Eye



12 Watt Dimmer Switch

Includes remote control



2' Harness Connector



5' Harness Connector



7' Harness Connector



9' Harness Connector



5 Output Splitter



2 Output Splitter

Traditional Post Caps

Enhance your look with architectural detail and style.



External

Size: 3", 3.5", 4", 5", 6" & 6.5" (6.5" only available in white)

Color:



Internal

Size: 4" & 5"

Color:



Gothic

Size: 3.5", 4" & 5"


Color:



Ball

Size: 4" & 5"

Color:



Federation

Size: 4", 5" & 6"

Color:



Cape May

Size: 4", 5" & 6"

Color:



New England

Size: 4", 5", 6" & 6.5" (6.5" only available in white) Color:



Neptune

Size: 4", 5" & 6"

Color:



Haven

Size: 4", 5" & 6"

Color:



Coachman

Size: 5"

Color:



Horse Head

Size: 5"

Color:



Ornamental

Size: 2.5", 3", 4" (4"- Black only)

Color:



Contact Us

Visit our Website

Request a Sample

*1 - Straight Railing is tested in accordance with ICC-ES Standards - Report ESR-4954
*2 - Straight Railing is tested in accordance with ASTM D70032 Standards - PEI Report 6414
*3 - Straight Railing is tested in accordance with ICC-ES Standards - Intertek Report 200115007SHF & 210422012SHF
*4 - Straight Railing is tested in accordance with ASTM standards by Molimo

durables®
Railing and fencing that last.

WSR-DURFULL-2026

Purchaser has the sole responsibility to determine whether Durables® products comply with applicable codes and are appropriate for the intended use. The purchaser and installer should review the intended use of the products with a licensed professional engineer to determine code compliance and the intended use.

Durables® is a federally registered trademark of USA Vinyl, LLC. ©2026 USA Vinyl, LLC.

BBB ACCREDITED BUSINESS A+

AFA American Fence Association

NADRA